

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	donald near hooper.in.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L2	53	eric near walker.in.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L3	16069	intel.as.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L4	8	L3 and (instruction and operand and thread and register).clm.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L5	4	L3 and (instruction and operand and user).clm.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L6	3171	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L7	227	L6 and (instruction and operand and debug\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L8	101	(trac\$4 near3 operand) with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L9	29	L8 and debug\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L10	21	L9 and (@pd<"20031113" or @ad<"20031113" or @prad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L11	978	(operand or variable) with (second adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L12	21	L11 and (trac\$4 near3 operand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L13	1708	processor near simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L14	385	L13 and (instruction near (set or list\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L15	2332	(operand or variable or argument) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L16	916847	(profil\$4 or (call adj structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L17	37522	(instruction or code) near (list\$4 or chart\$4 or graph\$4 or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L18	51	(US-20050071822-\$ or US-20040088691-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20040030962-\$ or US-20020144235-\$ or US-20030088854-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20020199173-\$ or US-20040162717-\$ or US-20030154028-\$ or US-20040255099-\$).did. or (US-6792599-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6804814-\$ or US-6954923-\$ or US-6826748-\$ or US-6591378-\$ or US-6557119-\$ or US-6502210-\$ or US-6463553-\$ or US-6487683-\$ or US-6434741-\$ or US-6240544-\$ or US-6009270-\$ or US-5978584-\$ or US-4819234-\$ or US-4879646-\$ or US-6006033-\$ or US-5446876-\$ or US-6088790-\$ or US-5761474-\$ or US-6487715-\$ or US-6021261-\$ or US-4951195-\$ or US-7150002-\$). did. or (US-7093249-\$ or US-6971084-\$ or US-6671827-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5727209-\$ or US-5168554-\$ or US-6611276-\$ or US-4730315-\$ or US-7093236-\$ or US-7093108-\$ or US-7080289-\$ or US-6829733-\$ or US-5881288-\$ or US-5862336-\$ or US-5857077-\$ or US-7080365-\$ or US-6145074-\$).did.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L19	8	L18 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L20	4242	(operand or parameter or argument or variable) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L21	133	L20 and (tracing or tracer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L22	123	L21 and (@pd<"20031113" or @ad<"20031113" or @prad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L23	20	("20020122062" "20020124042" "20020124205" "20020124241" "5261097" "5504881" "5600789" "5825361" "5953530" "6002868" "6023773" "6067639" "6077304" "6167455" "6223228" "6336088" "6397378" "6611276" "6681384" "6684385").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:09
L24	3171	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L25	64	L24 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L26	41	L15 and (instruction near list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L27	104	L14 and (user near3 (select\$4 or choos\$4 or pick\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L28	92	L27 and (operand or variable or argument or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L29	22	("4594655" "4734852" "5128890" "5488729" "5838941" "5839928" "5887160" "6145074" "6256721" "6430679" "6857060").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L30	128	L17 and ((operand or variable or argument or parameter) near dependenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L31	92	L30 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L32	16780	L16 and (tracing or tracer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L33	9728	L32 and (operand or argument or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L34	3	("6687898" "6363523").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L35	1058	L33 and debug\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L36	418	L35 and (instruction near (list\$4 or set or group\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L37	6	L36 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L38	124	tracing near (operand or variable or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L39	86	L38 and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L40	44	(US-20050071822-\$ or US-20040088691-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20040030962-\$ or US-20020144235-\$ or US-20030088854-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20020199173-\$ or US-20040162717-\$).did. or (US-6792599-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6804814-\$ or US-6954923-\$ or US-6826748-\$ or US-6591378-\$ or US-6557119-\$ or US-6502210-\$ or US-6463553-\$ or US-6487683-\$ or US-6434741-\$ or US-6240544-\$ or US-6009270-\$ or US-5978584-\$ or US-4819234-\$ or US-4879646-\$ or US-6006033-\$ or US-5446876-\$ or US-6088790-\$ or US-5761474-\$ or US-6487715-\$ or US-6021261-\$ or US-4951195-\$ or US-7150002-\$). did. or (US-7093249-\$ or US-6971084-\$ or US-6671827-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5727209-\$ or US-5168554-\$ or US-6611276-\$ or US-4730315-\$). did.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09

EAST Search History

L41	16	L40 and (program\$4 adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L42	7	L41 and tracing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L43	4	L40 and (instruction near list\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L44	5	L40 and (trac\$4 near (operand or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L45	3	"6611276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L46	3478	instruction adj (list or table or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L47	1708	processor near simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L48	50	L46 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L49	1	L40 and (operand adj dependenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L50	4	("4730315" "4821220").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L51	19	("3373408" "3940745" "5168554" "5339415" "5369570" "5727209" "5802371" "5812133" "5877764" "6067641" "6105051" "6282701").PN. OR ("6611276").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:09
L52	4354	(operand or parameter or arguement or variable or pipeline) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L53	8	L52 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L54	249	operand near map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L55	4	((program adj counter) or pc or pcv) with (operand near map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L56	1735	(program adj counter) with cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L57	1093	(program adj counter) with instruction with cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L58	615	L57 and operand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L59	213	L54 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L60	64	(US-20030154028-\$ or US-20040255099-\$ or US-20020184613-\$ or US-20010056341-\$ or US-20030135718-\$ or US-20050071822-\$ or US-20040088691-\$ or US-20040030962-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20030088854-\$ or US-20020199173-\$ or US-20020144235-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20040162717-\$).did. or (US-4879646-\$ or US-5446876-\$ or US-5978584-\$ or US-6006033-\$ or US-6009270-\$ or US-6088790-\$ or US-6829733-\$ or US-6701515-\$ or US-7080289-\$ or US-5881288-\$ or US-5862336-\$ or US-7093236-\$ or US-6145074-\$ or US-5857077-\$ or US-5761474-\$ or US-4819234-\$ or US-7080365-\$ or US-7093108-\$ or US-7137105-\$ or US-7134116-\$ or US-7107578-\$ or US-6848097-\$ or US-6728949-\$ or US-6493868-\$ or US-6083281-\$ or US-6871298-\$). did. or (US-6487715-\$ or US-6021261-\$ or US-7150002-\$ or US-7093249-\$ or US-6971084-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5168554-\$ or US-4730315-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6954923-\$ or US-6826748-\$ or US-6804814-\$ or US-6792599-\$ or US-6240544-\$ or US-6463553-\$ or US-4951195-\$ or US-6611276-\$ or US-6502210-\$ or US-6557119-\$ or US-6487683-\$ or US-6671827-\$ or US-5727209-\$). did. or (US-6434741-\$ or US-6591378-\$ or US-5852726-\$ or US-5974538-\$ or US-5333283-\$ or US-6047351-\$).did.	US-PGPUB; USPAT	OR	ON	2007/06/19 10:09
L61	25	L60 and (program adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L62	259	map\$4 same (register near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L63	168	(user adj interface) and (tracing with variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L64	2	L63 and (tracing adj option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L65	71	L59 and (program adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L66	8	(program or instruction) adj counter adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L67	41	("4430706" "4755966" "4858104" "4891753" "4914579" "5072364" "5093778" "5129067" "5136697" "5193167" "5201057" "5222240" "5283873" "5283874" "5287467" "5295248" "5327547" "5333283").PN. OR ("5974538").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:09
L68	21	L61 and cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L69	4	L60 and ((program adj counter) same cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L70	4846	index adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L71	447	L70 and (register near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L72	2	L60 and ((program adj counter) with cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L73	590	(register adj type) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L74	36	L73 and ("i/o" near register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L75	1	L71 and ("non-i/o" adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L76	2549	"i/o" adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L77	320	L76 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L78	32	L77 and (register adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L79	91	determin\$4 with (register adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L80	7	(instruction adj map\$4) same (instruction adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L81	4	("i/o" and "non-i/o") adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L82	39	L62 and (instruction near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L83	18	(user adj interface) and (tracing adj option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L84	5535	option with variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L85	23	L63 and L84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L86	221	register adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L87	17	L86 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L88	162	(register adj type) with (detect\$4 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L89	3171	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L90	31	L89 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L91	8	program adj counter adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09

EAST Search History

L92	99	("5964893" "5704034" "5737516" "5768575" "6223280" "6446094" "5781753" "6131157" "5623615" "5553256" "5655096" "5805849" "6101597" "6393550" "6848074" "20030028844" "5903719" "20050108689" "6463553" "5522053" "6070235" "6516409" "6055621" "5317720" "5333296" "5394529" "5481689" "4802086" "5228131" "5434986" "5450555" "5600811" "5675768" "5822788" "6055622" "6311260" "5675758" "5802339" "6195745" "5784552" "5896521" "6141791" "6499123" "4763245" "4991080" "5261107" "5355457" "5978910" "6223280" "6212629").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:09
L93	316	6 and @pd>="20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:17
L94	20	93 and operand and trac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:18